

SIT STAND

SIT STANDS

A practical and ergonomic solution for those who have to work standing up, or who can only sit for very brief at a time.



GLOBAL EASY SEAT

Global EASY SEAT mechanism

An important issue for the user of a chair is to sit comfortable. Another important aspect is that it should be easy to adjust the chair to the ideal position - especially if the user changes position often, or if several users sharing the same chair.

Therefore we have developed EASY SEAT mechanism which allow the user, while seated on the stool, to adjust the seat angle infinitely between 17° forward and 5° backward.

HANDS





Alfa - Octopus

- Model no.: 30 1 003 0 0 000
- Seat height: 62-88 cm
- *Alternative seat heights: 54-73 · 45-58 · 39-46 cm*
- 440 mm Octopus base



Alfa - Octopus w/casters/footring

- Model no.: 30 2 003 9 1 000
- Seat height: 61-80 cm
- *Alternative seat heights: 69-95 · 54-67 · 48-55 cm*
- 440 mm Octopus base
- 65 mm easy rolling castors



Alfa - Alu50

- Model no.: 40 2 003 2 000
- Seat height: 54-73 cm
- *Alternative seat heights: 62-88 · 45-58 · 39-46 cm*
- 500 mm Alu 50 base
- 50 mm easy rolling castors



Alfa - Trompet

- Model no.: 42 1 003 0 000
- Seat height: 57-83 cm
- *Alternative seat heights: 49-68 · 40-52 · 34-41 cm*
- 400 mm Trumpet base

FA

GLOBAL
EASY SEAT



Alfa

Seat of moulded polyurethane-foam with lumbar support. Practical and easy to clean, with good seating comfort and very tough even in harsh environments. Polyurethane furthermore has the feature of being sturdy and able to withstand several types of fluids and chemicals.

Seat: W 36 x D 25 x H 16 cm



ALFA accessories

Footring/Base footing



Footring painted D:400 mm



Footring chrome D:400 mm



Base footing painted



Base footing chrome

Castors/glides



50 mm easy rolling



50 mm friction brake



50 mm with load brake



50 mm unload brake



65 mm easy rolling



65 mm with brake



10 mm Glides



30 mm Glides



OMI



Omega - Octopus

- Model no.: 30 1 004 0 0 000
- Seat height: 62-88 cm
- Alternative seat heights: 54-73 · 45-58 · 39-46 cm
- 440 mm Octopus base



Omega - w/castors/footring

- Model no.: 30 2 004 9 1 000
- Seat height: 61-80 cm
- Alternative seat heights: 69-95 · 54-67 · 48-55 cm
- 440 mm Octopus base
- 65 mm easy rolling castors



Omega - Alu50

- Model no.: 40 2 004 2 000
- Seat height: 54-73 cm
- Alternative seat heights: 62-88 · 45-58 · 39-46 cm
- 500 mm Alu 50 base
- 50 mm easy rolling castors



Omega - Trumpet

- Model no.: 42 1 004 0 000
- Seat height: 57-83 cm
- Alternative seat heights: 49-68 · 40-52 · 34-41 cm
- 400 mm Trumpet base

OMEGA

GLOBAL
EASY SEAT



Omega

Seat of moulded polyurethane-foam with lumbar support. Practical and easy to clean, with good seating comfort and very tough even in harsh environments. Polyurethane furthermore has the feature of being sturdy and able to withstand several types of fluids and chemicals.

Seat: W 36 x D 25 x H 9 cm



OMEGA accessories

Footring/Base footing



Footring painted D:400 mm



Footring chrome D:400 mm



Base footing painted



Base footing chrome

Castors/glides



50 mm easy rolling



50 mm friction brake



50 mm with load brake



50 mm unload brake



65 mm easy rolling



65 mm with brake



10 mm Glides



30 mm Glides



VEN



Venus - Octopus

- Model no.: 30 1 014 0 0 000
- Seat height: 62-88 cm
- *Alternative seat heights: 54-73 · 45-58 · 39-46 cm*
- 440 mm Octopus base



Venus - Octopus w/castors/footring

- Model no.: 30 2 014 9 1 000
- Seat height: 61-80 cm
- *Alternative seat heights: 69-95 · 54-67 · 48-55 cm*
- 440 mm Octopus base
- 65 mm easy rolling castors



Venus - Alu50

- Model no.: 40 2 014 2 000
- Seat height: 54-73 cm
- *Alternative seat heights: 62-88 · 45-58 · 39-46 cm*
- 500 mm Alu 50 base
- 50 mm easy rolling castors



Venus - Trumpet

- Model no.: 42 1 014 0 000
- Seat height: 57-83 cm
- *Alternative seat heights: 49-68 · 40-52 · 34-41 cm*
- 400 mm Trumpet base

VENUS

GLOBAL
EASY SEAT



Venus

Seat of moulded polyurethane-foam with lumbar support. Practical and easy to clean, with good seating comfort and very tough even in harsh environments. Polyurethane furthermore has the feature of being sturdy and able to withstand several types of fluids and chemicals.

Seat: W 36 x D 25 x H 16 cm



Supersoft Seat

Our new, easy-to-clean Supersoft Seat made of integral foam has a low hardness of only 15 shore.

VENUS accessories

Footring/Base footring



Footring painted D:400 mm



Footring chrome D:400 mm



Base footring painted



Base footring chrome

Castors/glides



50 mm easy rolling



50 mm friction brake



50 mm with load brake



50 mm unload brake



65 mm easy rolling



65 mm with brake



10 mm Glides



30 mm Glides



NEPTUN



Neptun - Octopus

- Model no.: 30 3 015 0 0 000
- Seat height: 54-67 cm
- *Alternative seat heights: 69-95 · 61-80 · 48-55 cm*
- 440 mm Octopus base



Neptun - Octopus w/casters/footring

- Model no.: 30 3 015 9 1 000
- Seat height: 59-72 cm
- *Alternative seat heights: 76-102 · 68-87 · 53-60 cm*
- 440 mm Octopus base
- 65 mm easy rolling castors



Neptun - Alu50

- Model no.: 40 3 015 2 0 000
- Seat height: 54-67 cm
- *Alternative seat heights: 69-93 · 61-80 · 48-55 cm*
- 500 mm Alu 50 base
- 50 mm easy rolling castors



Neptun - Trumpet

- Model no.: 42 3 015 0 0 000
- Seat height: 49-62 cm
- *Alternative seat heights: 66-92 · 58-77 · 43-50 cm*
- 400 mm Trumpet base

NEPTUN

GLOBAL
EASY SEAT



Neptun

Seat of moulded 100 mm polyurethane-foam with lumbar support. Practical and easy to clean, with good seating comfort and very tough even in harsh environments. Polyurethane furthermore has the feature of being sturdy and able to withstand several types of fluids and chemicals.

Seat: W 36 x D 25 x H 14 cm



Supersoft Seat

Our new, easy-to-clean Supersoft Seat made of integral foam has a low hardness of only 15 shore.

NEPTUN accessories

Footring/Base footring



Footring painted D:400 mm



Footring chrome D:400 mm



Base footring painted



Base footring chrome

Castors/glides



50 mm easy rolling



50 mm friction brake



50 mm with load brake



50 mm unload brake



65 mm easy rolling



65 mm with brake



10 mm Glides



30 mm Glides



ZE



Zeta - Octopus

- Model no.: 30 1 005 0 0 000
- Seat height: 66-92 cm
- *Alternative seat heights: 58-77 · 49-62 · 43-50 cm*
- 440 mm Octopus base



Zeta - Octopus w/casters/footring

- Model no.: 30 2 005 9 1 000
- Seat height: 61-80 cm
- *Alternative seat heights: 69-95 · 54-67 · 48-55 cm*
- 440 mm Octopus base
- 65 mm easy rolling castors



Zeta - Alu50

- Model no.: 40 2 005 2 000
- Seat height: 58-77 cm
- *Alternative seat heights: 66-92 · 49-62 · 43-50 cm*
- 500 mm Alu 50 base
- 50 mm easy rolling castors



Zeta - Trumpet

- Model no.: 42 1 005 0 000
- Seat height: 62-88 cm
- *Alternative seat heights: 54-73 · 45-58 · 39-46 cm*
- 400 mm Trumpet base

TA

Zeta Saddle stool

The classical moped saddle. "Hands-free" as your legs can control the movements of the stool. At the same time giving you a relaxed seating position with a straight spine, which lets you sit much longer. Seat of moulded polyurethane foam.

Seat: W 25 x D 31 cm



ZETA accessories

Footring/Base footing



Footring painted D:400 mm



Footring chrome D:400 mm



Base footing painted



Base footing chrome

Castors/glides



50 mm easy rolling



50 mm friction brake



50 mm with load brake



50 mm unload brake



65 mm easy rolling



65 mm with brake



10 mm Glides



30 mm Glides



PLU



Pluto - Octopus

- Model no.: 30 1 016 0 0 000
- Seat height: 62-88 cm
- *Alternative seat heights: 54-73 · 45-58 · 39-46 cm*
- 440 mm Octopus base



Pluto - w/castors/footring

- Model no.: 30 2 016 9 1 000
- Seat height: 61-80 cm
- *Alternative seat heights: 69-95 · 54-67 · 48-55 cm*
- 440 mm Octopus base
- 65 mm easy rolling castors



Pluto - Alu50

- Model no.: 40 2 016 2 000
- Seat height: 54-73 cm
- *Alternative seat heights: 62-88 · 45-58 · 39-46 cm*
- 500 mm Alu 50 base
- 50 mm easy rolling castors



Pluto - Trumpet

- Model no.: 42 1 016 0 000
- Seat height: 57-83 cm
- *Alternative seat heights: 49-68 · 40-52 · 34-41 cm*
- 400 mm Trumpet base

UTO

GLOBAL
EASY SEAT



Pluto Saddle stool

A simple efficient seat with high comfort.
Seat of moulded polyurethane foam.

Seat: W 38 x D 39 cm



Pluto accessories

Footring/Base footring



Footring painted D:400 mm



Footring chrome D:400 mm



Base footring painted



Base footring chrome

Castors/glides



50 mm easy rolling



50 mm friction brake



50 mm with load brake



50 mm unload brake



65 mm easy rolling



65 mm with brake



10 mm Glides



30 mm Glides

The Pluto-models are also available with upholstered seat



GAM



Gamma - Octopus

- Model no.: 30 1 330 0 0 000
- Seat height: 66-92 cm
- *Alternative seat heights: 58-77 · 49-62 · 43-50 cm*
- 440 mm Octopus base



Gamma - Octopus w/castors/footring

- Model no.: 30 2 330 9 1 000
- Seat height: 61-80 cm
- *Alternative seat heights: 69-95 · 54-67 · 48-55 cm*
- 440 mm Octopus base
- 65 mm easy rolling castors



Gamma - Alu50

- Model no.: 40 2 330 2 0 000
- Seat height: 58-77 cm
- *Alternative seat heights: 66-92 · 49-62 · 43-50 cm*
- 500 mm Alu 50 base
- 50 mm easy rolling castors



Gamma - Trumpet

- Model no.: 42 1 330 0 0 000
- Seat height: 62-88 cm
- *Alternative seat heights: 54-73 · 45-58 · 39-46 cm*
- 400 mm Trumpet base

MMA

GLOBAL
EASY SEAT



Gamma Saddle stool

A comfortable wide bicycle saddle. "Hands-free" as your legs can control the movements of the stool. At the same time giving you a relaxed seating position with a straight spine, which lets you sit much longer. Upholstered with foam and real leather.

Seat: W 36 x D 31 cm



Available in several colours and fabrics page 95

GAMMA accessories

Footring/Base footring



Footring painted D:400 mm



Footring chrome D:400 mm



Base footring painted



Base footring chrome

Castors/glides



50 mm easy rolling



50 mm friction brake



50 mm with load brake



50 mm unload brake



65 mm easy rolling



65 mm with brake



10 mm Glides



30 mm Glides

Genuine leather

DALTON



Dalton PU - Octopus

- Model no.: 30 1 006 0 0 000
- Seat height: 66-92 cm
- *Alternative seat heights: 58-77 · 49-62 · 43-50 cm*
- 440 mm Octopus base



Dalton PU - Octopus w/casters/footring

- Model no.: 30 2 006 9 1 000
- Seat height: 61-80 cm
- *Alternative seat heights: 69-95 · 54-67 · 48-55 cm*
- 440 mm Octopus base
- 65 mm easy rolling castors



Dalton PU - Alu50

- Model no.: 40 2 006 2 000
- Seat height: 58-77 cm
- *Alternative seat heights: 66-92 · 49-62 · 43-50 cm*
- 500 mm Alu 50 base
- 50 mm easy rolling castors



Dalton PU - Trumpet

- Model no.: 42 1 006 0 000
- Seat height: 62-88 cm
- *Alternative seat heights: 54-73 · 45-58 · 39-46 cm*
- 400 mm Trumpet base

DALTON PU

Dalton Saddle stool

The classical cowboy saddle. "Hands-free" as your legs can control the movements of the stool. At the same time giving you a relaxed seating position with a straight spine, which lets you sit much longer. Seat of moulded polyurethane foam.

Seat: W 44 x D 35 cm

Also available with EASY SEAT.

GLOBAL
EASY SEAT



Moulded polyurethane available in several colours.



DALTON accessories

Footring/Base footring



Footring painted D:400 mm



Footring chrome D:400 mm



Base footring painted



Base footring chrome

Castors/glides



50 mm easy rolling



50 mm friction brake



50 mm with load brake



50 mm unload brake



65 mm easy rolling



65 mm with brake



10 mm Glides



30 mm Glides

Dalton-models are also available with upholstered seat

Page 47

